



CONSIDERING TOUJEO?


Learn How Toujeo Max Can Mean More for You

Already on insulin and considering Toujeo Max? Review the unique features of Toujeo Max and print out this conversation guide so you can discuss Toujeo Max with your doctor.

- **Toujeo is the most concentrated daily longer-acting insulin** with the lowest injection volume
- **Toujeo Max is the only 900-unit high-capacity pen on the market.** Because it is a concentrated insulin, in the same-size pen it can fit up to 3X more insulin than any standard long-lasting insulin pen. That could mean **fewer pens, fewer injections, and fewer co-pays**, depending on your daily dose. **Toujeo Max SoloStar is recommended for those who need at least 20 units of longer-acting insulin per day.** Go to [Toujeo.com](https://toujeo.com) to calculate how many pens you can save with Toujeo Max SoloStar
- **Toujeo is a longer-acting insulin with a program that offers no more than \$35* co-pay.** And there are affordable plans and savings available regardless of your insurance coverage, too. Eligibility Restrictions & Offer Terms apply*

Please see Important Safety Information throughout this leaflet and on page 3 and [click here](#) or visit <https://products.sanofi.us/toujeo/toujeo.pdf> for full Prescribing Information.

A unit of Toujeo is smaller because it's concentrated, so you inject less liquid with your prescribed dose.



Enlarged to show proportions.



ASK YOUR DOCTOR IF YOU CAN PUT FEWER IN YOUR FUTURE WITH TOUJEO MAX.

1. I've read that Toujeo is the most concentrated long-acting insulin with the lowest injection volume, which means I may inject less liquid—this is something I could be interested in. Could Toujeo be right for me?

2. How many units are in my current pen? If I switch to Toujeo Max SoloStar, would I use fewer pens? [Find out](#) ▶

3. What are the side effects of Toujeo?

What is Toujeo U-300 (insulin glargine) injection 300 Units/mL?

Prescription Toujeo is a long-acting man-made insulin used to control high blood sugar in adults and children who are 6 years of age and older with diabetes mellitus.

- Toujeo is not for the treatment of diabetic ketoacidosis
- It is not known if Toujeo is safe and effective in children under 6 years of age

Important Safety Information for Toujeo U-300 (insulin glargine) injection

Do not use Toujeo if you have low blood sugar or if you are allergic to insulin or any of the ingredients in Toujeo.

Please see full Important Safety Information for Toujeo throughout. Please [click here](#) or visit <https://products.sanofi.us/toujeo/toujeo.pdf> for full Prescribing Information for Toujeo.

4. If I switch to Toujeo Max, would my insulin dosage change?

5. Is Toujeo Max a long-acting insulin option that may help me lower my A1C?

6. I read Toujeo Max can last up to 8 weeks unrefrigerated once started. With 900 units, maybe I can carry fewer pens with me when I'm out or traveling. Could Toujeo Max be right for me?

QUESTIONS YOUR DOCTOR MAY HAVE FOR YOU:

1. Have you been tracking your blood sugar?
2. Have you experienced any symptoms?
3. Have you been following your treatment plan?
4. How do you feel about your current insulin pen?



NEED HELP ANSWERING THEM?

1. Bring your blood sugar log with you. Need a new one? [Get it here](#) ▶
2. Jot down any symptoms you've experienced—even if you start today.
3. Sticking to your plan helps your doctor know when changes need to be made.
4. Ask your doctor if you're appropriate for a pen that holds more units of long-acting insulin.

Important Safety Information for Toujeo U-300 (insulin glargine) injection (cont'd)

Do not share your pen(s) with other people, even if the needle has been changed. You may give other people a serious infection or get a serious infection from them.

Before starting Toujeo, tell your doctor about all your medical conditions, including if you have liver or kidney problems, if you are pregnant or planning to become pregnant, or if you are breastfeeding or planning to breastfeed.

Change (rotate) your injection sites within the area you chose with each dose to reduce your risk of getting pitted or thickened skin (lipodystrophy) and skin with lumps (localized cutaneous amyloidosis) at the injection sites. **Do not** use the same spot for each injection or inject where the skin is pitted, thickened, lumpy, tender, bruised, scaly, hard, scarred, or damaged.



DID YOU KNOW?

Toujeo Max has a co-pay program that offers **no more than \$35* co-pay.**

[Learn more about savings](#) ▶

Sanofi offers a Valyou Savings Program for people who do not have insurance.

[Learn more about savings](#) ▶

Please see full Important Safety Information for Toujeo throughout. Please [click here](#) or visit <https://products.sanofi.us/toujeo/toujeo.pdf> for full Prescribing Information for Toujeo.

Important Safety Information for Toujeo U-300 (insulin glargine) injection (cont'd)

Heart failure can occur if you are taking insulin together with pills called TZDs (thiazolidinediones), even if you have never had heart failure or other heart problems. If you have heart failure, it may get worse while you take TZDs with Toujeo. Your treatment with TZDs and Toujeo may need to be changed or stopped by your doctor if you have new or worsening heart failure.

Tell your doctor if you have any new or worsening symptoms including:

- Shortness of breath
- Sudden weight gain
- Swelling of your ankles or feet

Tell your doctor about all the medications you take, including OTC medicines, vitamins, and supplements, and herbal supplements.

Toujeo should be taken at the same time once a day. Test your blood sugar levels daily while using any insulin. Do not change your dose or type of insulin without talking to your doctor. Verify you have the correct insulin before each injection. **Do NOT use a syringe to remove Toujeo from your pen.** Your dose for Toujeo may be different from other insulins you have taken. Any change of insulin should be made cautiously and only under medical supervision.

Do NOT dilute or mix Toujeo with any other insulin or solution. It will not work as intended and you may lose blood sugar control, which could be serious. Use Toujeo only if the solution is clear and colorless with no particles visible.

While using Toujeo, do not drive or operate heavy machinery until you know how Toujeo affects you. Don't drink alcohol or use other medicines that contain alcohol.

The most common side effect of Toujeo is low blood sugar (hypoglycemia), which may be serious and life-threatening. Severe hypoglycemia may cause harm to your heart or brain. Symptoms of serious low blood sugar may include shaking, sweating, fast heartbeat, and blurred vision. The long-acting effect of Toujeo may delay recovery from low blood sugar compared to shorter-acting insulins.

Toujeo may cause severe allergic reactions that can lead to death. Get medical help right away if you have:

- A rash over your whole body
- Shortness of breath
- Swelling of your face, tongue, or throat
- Extreme drowsiness, dizziness, or confusion
- Trouble breathing
- Fast heartbeat
- Sweating

Toujeo may have additional side effects including swelling, weight gain, low potassium, and injection site reactions which may include change in fat tissue, skin thickening, redness, swelling, and itching.

Toujeo SoloStar and Toujeo Max SoloStar are single patient-use prefilled insulin pens. It is important to perform a safety test when using a new pen for the first time. Talk to your doctor about proper injection technique and follow instructions in the *Instruction Leaflet* that comes with your Toujeo SoloStar or Toujeo Max SoloStar pen.

*Eligibility Restrictions & Offer Terms:

Sanofi Insulins Co-pay Savings Program: This savings program is not insurance. For a complete list of participating brands, products, and National Drug Codes (NDCs) [Click Here](#). This offer is not valid for prescriptions covered by or submitted for reimbursement, in whole or in part, under Medicare, Medicaid, VA, DOD, TRICARE, similar federal or state programs, including any state pharmaceutical programs. If you have an Affordable Care (Health Care Exchange) plan, you may still be qualified to receive and use this savings card. Please note: the Federal Employees Health Benefits (FEHB) Program is not a federal or state government health care program for purposes of the savings program. Void where prohibited by law. For the duration of the program, eligible commercially insured patients pay no more than \$35 per 30-day supply, up to 10 packs per fill; Offer valid for one fill every 30 days. Savings may vary depending on patients' out-of-pocket costs. The Sanofi Insulins Co-pay Savings Program applies to the cost of medication. There are other relevant costs associated with overall treatment. Sanofi reserves the right to rescind, revoke, terminate, or amend this offer, eligibility, and terms of use at any time without notice. Upon registration, patients will receive all program details. For questions regarding your eligibility or benefits, or if you wish to discontinue your participation, call the Sanofi Insulins Co-pay Savings Program at (866) 255-8661 (9:00 am-7:00 pm EST, Monday-Friday).

Insulins Valyou Savings Program: This savings program is not insurance. For a complete list of participating brands, products, and National Drug Codes (NDCs) [Click Here](#). This offer is only valid for those who are uninsured or those who are insured by a prescription plan but are not using such insurance and will be paying the full retail price for the medication. Void where prohibited by law. The Savings Program applies to the cost of medication. There are other relevant costs associated with overall treatment. You may not submit claims for reimbursement to any third-party payor, including any government healthcare plan (e.g., Medicare, Medicaid, DOD, VA, TRICARE) or similar federal or state programs for Sanofi Insulin prescriptions when using this Program. You may not seek to have your out-of-pocket costs or the full retail price of the Sanofi Insulin count toward your deductible, true-out-of-pocket (TrOOP), maximum out-of-pocket (MOOP), or any other out-of-pocket caps associated with any insurance coverage. Sanofi reserves the right to rescind, revoke, terminate, or amend this offer, eligibility, and terms of use at any time without notice. Upon registration, patients will receive all program details. For questions regarding your eligibility or benefits, or if you wish to discontinue your participation, call the Insulins Valyou Savings Program at (833) 813-0190 (9:00 am-7:00 pm EST, Monday-Friday).

Please see full Important Safety Information for Toujeo throughout. Please [click here](#) or visit <https://products.sanofi.us/toujeo/toujeo.pdf> for full Prescribing Information for Toujeo.