

**MAT-US-2007112_v2.0_Toujeo DTC Branded Straight Talk About Diabetes Time 2022
ISI Update_Transcript**

ANNOUNCER: Welcome to straight talk about diabetes, the talk show made FOR people with diabetes-BY people with diabetes.

ERRON: Now, in terms of medication, you're on Toujeo®

AMY: Insulin glargine injection 300 units per milliliter.

ERRON: For those who may not be familiar, Toujeo is from the makers of Lantus®.

ANNOUNCER: Prescription Toujeo is a long-acting, man-made insulin used to control high blood sugar in adults and children who are six years of age and older with diabetes mellitus.

ERRON: It takes longer to start working in the bloodstream, but it lasts all day long.

AMY: Right!

ERRON: Also, Toujeo contains three times as much insulin in 1 milliliter as standard insulin 100 units per milliliter.

[Phone buzzes] Hold on, I got to get this.

[Looks at phone] Hmm.

[Addresses camera] So there are limitations of use for Toujeo that everyone should know.

ANNOUNCER:

- Toujeo is not for the treatment of diabetic ketoacidosis
- It is not known if Toujeo is safe and effective in children under 6 years of age

ERRON: So, Amy how are you doing since you started on Toujeo?

AMY: My blood sugar levels are normal throughout the day when I measure, and my last A1C, was in my target range.

ERRON: Oh, that's great. I should note, that Toujeo, is not for everyone and individual results may vary.

[Phone buzzes] But wait, there's more this time, it's important, safety information about Toujeo.

ERRON: Do not take Toujeo if you have low blood sugar or if you are allergic to insulin or any of the ingredients in Toujeo.

AMY: Yeah, that's important.

ERRON: Also, do not reuse needles, or share insulin pens, even if the needle has been changed.

Text on screen: **Do not share your pen(s) with other people, even if the needle has been changed.** You may give other people a serious infection or get a serious infection from them.

ERRON: What would you tell Somebody who is just getting the news that insulin is the next step for them?

AMY: That, don't be afraid. This Isn't about, you know, that your disease is so far gone that this is the only thing that's going to help you, that we're able to use that as a tool.

ERRON: That's- I think that's great advice.

AMY: So, yeah

ERRON: I mean because you hear "insulin" or you hear "medication" period, and you're like—.

AMY: Ya, ya. It's like "oh, it's... It's over."

ERRON: I'm only taking this medication because I am so bad,

AMY: Right, right? Right.

ERRON: But, not the case.

AMY: No.

ERRON: You're taking the medication because you need it.

AMY: No, right

[Phone buzzes]

ERRON: Mom! No, no, no, no. No, no, mom. Ma! Ma! I'm doing an interview right now. I love you too, pooh bear. Okay, bye. Sorry, my mother says hello Amy.

AMY: Hello mom.

ERRON: Yeah. What are some of the names you've heard maybe diabetes be called other than diabetes?

AMY: Oh, the sugar is my favorite.

ERRON: The sugar.

AMY: The sugar.

ERRON: Oh, you got the sugar baby?

AMY: Oh! Why are you doing that? I don't have the Sugar.

ERRON: My sugar's in check.

AMY: My sugar's fine and I check it as 327.

ERRON: Right? Right. Cause you ate three pieces of cake

AMY: Mm-hmm.

ERRON: With jam in it.

AMY: Mm-hmm.

Amy. Thank you so much for joining me, keeping it real with me.

AMY: Well, it is my pleasure. It has been my pleasure.

ERRON: And, um, you're welcome back.

AMY: I hope we get real again sometime.

ERRON: You're welcome back anytime. Mi casa, su casa.

AMY: Oh, thank you.

Amy, let's move. Yeah, get that exercise in, girl. Yeah, you better boogie. Get it. Get it. Get it. This show has been brought to you by Toujeo. To learn more visit Toujeo.com.

ANNOUNCER:

What is Toujeo U-300 (insulin glargine) injection 300 Units/mL?

Prescription Toujeo is a long-acting man-made insulin used to control high blood sugar in adults and children who are 6 years of age and older with diabetes mellitus.

- Toujeo is not for the treatment of diabetic ketoacidosis
- It is not known if Toujeo is safe and effective in children under 6 years of age

Important Safety Information for Toujeo U-300 (insulin glargine) injection

Do not use Toujeo if you have low blood sugar or if you are allergic to insulin or any of the ingredients in Toujeo.

Do not share your pen(s) with other people, even if the needle has been changed. You may give other people a serious infection or get a serious infection from them.

Before starting Toujeo, tell your doctor about all your medical conditions, including if you have liver or kidney problems, if you are pregnant or planning to become pregnant, or if you are breastfeeding or planning to breastfeed.

Change (rotate) your injection sites within the area you chose with each dose to reduce your risk of getting pitted or thickened skin (lipodystrophy) and skin with lumps (localized cutaneous amyloidosis) at the injection sites. **Do not** use the same spot for each injection or inject where the skin is pitted, thickened, lumpy, tender, bruised, scaly, hard, scarred, or damaged.

Heart failure can occur if you are taking insulin together with pills called TZDs (thiazolidinediones), even if you have never had heart failure or other heart problems. If you have heart failure, it may get worse while you take TZDs with Toujeo. Your treatment with TZDs and Toujeo may need to be changed or stopped by your doctor if you have new or worsening heart failure. Tell your doctor if you have any new or worsening symptoms including:

- Shortness of breath
- Sudden weight gain
- Swelling of your ankles or feet

Tell your doctor about all the medications you take, including OTC medicines, vitamins, and supplements, and herbal supplements.

Toujeo should be taken at the same time once a day. Test your blood sugar levels daily while using any insulin. Do not change your dose or type of insulin without talking to your doctor. Verify you have the correct insulin before each injection. **Do NOT use a syringe to remove Toujeo from your pen.** Your dose for Toujeo may be different from other insulins you have taken. Any change of insulin should be made cautiously and only under medical supervision.

Do NOT dilute or mix Toujeo with any other insulin or solution. It will not work as intended

and you may lose blood sugar control, which could be serious. Use Toujeo only if the solution is clear and colorless with no particles visible.

While using Toujeo, do not drive or operate heavy machinery until you know how Toujeo affects you. Don't drink alcohol or use other medicines that contain alcohol.

The most common side effect of Toujeo is low blood sugar (hypoglycemia), which may be

serious and life-threatening. Severe hypoglycemia may cause harm to your heart or brain. Symptoms of serious low blood sugar may include shaking, sweating, fast heartbeat, and blurred vision. The long-acting effect of Toujeo may delay recovery from low blood sugar compared to shorter-acting insulins.

Toujeo may cause severe allergic reactions that can lead to death. Get medical help right away if you have:

- A rash over your whole body
- Shortness of breath
- Swelling of your face, tongue, or throat
- Extreme drowsiness, dizziness, or confusion
- Trouble breathing
- Fast heartbeat
- Sweating

Toujeo may have additional side effects including swelling, weight gain, low potassium, and injection site reactions which may include change in fat tissue, skin thickening, redness, swelling, and itching.

Toujeo SoloStar and Toujeo Max SoloStar are single-patient-use prefilled insulin pens. It is important to perform a safety test when using a new pen for the first time. Talk to your doctor about proper injection technique and follow instructions in the *Instruction Leaflet* that comes with your Toujeo SoloStar or Toujeo Max SoloStar pen.

©2022 sanofi-aventis U.S. LLC. All rights reserved.
MAT-US-2007112_v2.0-11/2022